

UPHOLSTERY & MATTRESSES

Division











Adhesive Solutions

THE COMPANY

Founded in 1995 by Antonio Sanz Lozano, QS is a company dedicated to the development, manufacture and marketing of adhesives and sealants for industrial and domestic use.

The experience of the founder, after a whole professional life in the world of adhesives, means that QS was born with a very clear vision of the project ahead.

Technology, quality, professional staff, R+D+i, concern for the environment, medium and long term business perspective, are words that define QS commitment; QS are the people that day by day make it a reality and that together with a great team of suppliers, work with the illusion and the commitment to offer our customers the best quality in product and service.

QS offers solutions in adhesives and sealants for the following markets:

- √Construcction.
- √Glazing.
- ✓DIY and Hardware.
- √ Footwear and Leather goods.
- ✓ Wood and Furniture.
- ✓ Packaging and Labeling.
- ✓ Printing and Binding.
- ✓ Nautica-Naval.
- ✓ Cars and Bodywork.
- √Textile

The attention to these sectors is not limited at present to the national market, since QS products are in great demand and can be found in more than 35 countries in the five continents.

 $40,000\,\mathrm{m^2}$ plot, $15,000\,\mathrm{m^2}$ of manufacturing and warehousearea, $800\,\mathrm{m^2}$ of offices and $300\,\mathrm{m^2}$ of laboratory make up QS headquarters.

It is worth mentioning the prize with which QS was awarded in March 2000: THE INTERNATIONAL TROPHY OF TECHNOLOGY AND QUALITY granted by the institution "New Millennium Award", Geneva, Switzerland, in its 23rd edition.

The QS R+D+i department is the heart of the company: a highly specialized team, equipped with the latest technical advances, guarantees the quality of our products, the continuous improvement of them and the development of new solutions for the market.

QS works every day to provide value and development for our customers, under a clear premise: respect for the environment and care for our planet. It is a shared responsibility in which companies must be an example to society. For this reason, the development of products that are increasingly in line with this QS sustainability commitment, as well as the correct management of waste within a dynamic of circular economy, are a priority objective of the company in its daily work. Translated with www.DeepL.com/Translator (free version)





Adhesive Solutions





QUALITY AS PRIORITY

Our ISO 9001 Quality System is audited and reviewed periodically, with "Continuous Improvement" being a basic principle of QS.

QS has been certified by Bureau Veritas, first certification entity in Spain, under ENAC and UKAS accreditation.


Through an audit that verifies compliance with the requirements of ISO 9001, the scope of the Management System implemented corresponds to: the design, manufacture, marketing and storage of adhesives, sealants and their accessories.

The rigorous process of obtaining and maintaining this certification shows our commitment to offering the market quality products and services and thus being able to access markets and customers who necessarily need their suppliers to be accredited with this type of certification.

In this way, the effort and dedication of the entire QS team to offer effective responses to the needs of its clients is internationally recognized and reaffirms its dedicated orientation to business excellence.


































INSTANTANEO

Q5 .F











UPHOLSTERY & MATTRESSES ADHESIVES

Product range

| | | PRODUCT | DESCRIPTION | CHARACTERISTICS | PRESENTATION | SYSTEM |
|--------------------------------|--------------|----------------------------|---|---|---------------------|--------|
| SUPERTEC Contacto adhesives | SOLVENT BASE | SUPERTEC 9025 F | Synthetic rubber solvent base adhesive, low viscosity, for spray application. General use, excellent adhesion on foams, fabrics, woods, yarn waste, | Good heat resistance / Long open time / Blue color / Low viscosity / Fast drying. | BO 20 L , BI 200 L | |
| | | SUPERTEC UNIVERSAL | Synthetic rubber solvent base adhesive, for manual application. General use, excellent adhesion on foams, fabrics, woods, yarn waste, | Good heat resistance / Long open time / Semi transparent color / Medium viscosity / Normal drying. | BO 20 L , BI 200 L | |
| | | SUPERTEC EXTRA | High performance synthetic rubber solvent base adhesive, for manual application. Excellent adhesion on foams, fabrics, woods, yarn waste, | Excellent heat resistance / Short open time / High viscosity / Fast drying. | BO 20 L , BI 200 L | |
| | | SUPERTEC 5400 | Low viscosity solvent base contact adhesive (synthetic rubber) for spray application. High performance. Excellent adhesion on foams, fabrics, woods, yarn waste, | Excellent heat resistance / Short open time / Color Red / Low viscosity / Fast drying. | BO 20 L , BI 200 L | |
| DISPERTEC Water base adhesives | WATER BASE | DISPERTEC CONTAK | Synthetic water contact adhesive, for manual application. General use, excellent adhesion on foams, fabrics, woods, yarn waste, | Good heat resistance / Long open time / Transparent once dried / Medium viscosity / Solvents free / Normal drying | GA 25 KG | |
| | | DISPERTEC CB-2120 | One-component water-based contact adhesive for spray application and general use. Excellent adhesion on foams, fabrics, woods, yarn waste, | Good heat resistance / Short open time / Transparent once dry / Without solvents / Fast drying. | GA 25 KG | |
| | | DISPERTEC CB-5125 | Two-component water-based contact adhesive, with catalyst, quick drying and spray application for general use. Excellent adhesion on foams, fabrics, woods, yarn waste, CATALYST CB | Good heat resistance / Short open time / Transparent once dry / Solvent free / Fast drying / 2 Components. | GA 25 KG | |
| | | CATALIZADOR CB Catalyst | Catalyst for specific use with Dispertec CB 5125, mixing ratio in spray nozzle: 8.5 kg - Adhesive / 1,5 kg - Catalyst. | Water base / Accelerates the drying of the adhesive / Allows fast working cycles. | GA 25 KG | |
| TERMOLITE Hot melt adhesives | нот мест | TERMOLITE TE-125 | Rubber based hot melt adhesive for general use. Excellent adhesion on foams, fabrics, woods, yarn waste, | Good heat resistance / Long open time / Yellowish color / Self-adhesive / Low viscosity. | PILLOWS / Box 15 KG | |
| | | TERMOLITE TE-125 HV | General-purpose rubber-based hot-melt adhesive with excellent adhesion to foams, fabrics, wood, waste | Good heat resistance / Long open time / Yellow colour / High viscosity / Normal drying | PILLOWS / Box 15 KG | |
| | | TERMOLITE TE-140 | APAO hot melt adhesive . High performance. Excellent adhesion on foams, fabrics, woods, yarn waste, | Excellent heat resistance / Medium open time / Translucent color / Low viscosity. | PILLOWS / Box 15 KG | |
| | | TERMOLITE P-28 T | EVA hot melt dhesive: pocketed springs gluing for the manufacture of the mattress bodies. Excellent adhesion on foams, fabrics, woods, yarn waste, | Good heat resistance / Short open time / Yellowish color / Medium viscosity | Bag 20 KG | Ÿ |
| | | _ | | | | |

- Tapizado de sillas, sillones y muebles.
- Pegado de espumas a armazón.
- O Encolado de muelles ensacados. Colchones.
- Laminación de capas. Colchones.

TECHNICAL SUPPORT +34 966 735 506

QS puts at your disposal a technical assistance service where you can resolve your doubts about the products and their use, as well as any question about the company.

QS wants to be close to its customers and thus guarantee the proper functioning of its products.

















